

PROVISIONS FOR HEART AND NEUROLOGICAL DISORDER RIDER

Contents

1		Policy Owners' Protection Scheme	1
2	2.1 2.2	Our Responsibilities Covered Events Yearly Renewability	1 1
3	3.1	Your Responsibilities Premium	1
4	4.1	What is Covered? Heart and Neurological Disorder Benefit	2
5	5.1 5.2 5.3	What Is Not Covered? Heart and Neurological Disorder Benefit Waiting Period Survival Period	2 2 2
6	6.1 6.2	Making Claims From The Policy How to make a Claim Who do We pay Benefits to	2
7	7.1 7.2 7.3 7.4 7.5 7.6 7.7	Our Rights Incontestability Correction of Mistakes and Errors Fraud and Misrepresentation Change of Address, Country of Residence or Citizenship No Cover Changes in Taxation, Regulations and Legislation Errors In Age / Gender / Smoker Status / Country of Residence	3 3 3 4 4 4
8	8.1	Your Rights Free look	4
9		When Will Your Rider End?	4
10		What Do We Mean With These Words?	5
11		Appendix A – List of Heart and Neurological Disorder Benefit	6-8

1. Policy Owners' Protection Scheme

This policy is protected under the Policy Owners' Protection Scheme which is administered by the Singapore Deposit Insurance Corporation (SDIC). Coverage for your policy is automatic and no further action is required from you. For more information on the types of benefits that are covered under the scheme as well as the limits of coverage, where applicable, please contact us or visit the Life Insurance Association (LIA) or SDIC web-sites (www.lia.org.sg or www.sdic.org.sg).

2. Our Responsibilities

This is a yearly renewable, Non-participating rider that accelerates the Sum insured of the Basic policy if the Life insured is diagnosed with early and intermediate Heart and Neurological Disorder while the rider is in force. This rider does not have any cash values. At the rider Expiry date, if We have not paid out any claims, this rider will end and no Benefits will be payable.

Your rider covers the Benefits described below.

This Provisions should be read together with the Product Summary of the Basic policy.

2.1 Covered Events

If Your rider is valid and a covered event happens, We will pay You the Benefits less any amounts You owe Us on this rider. The covered events of Your rider are written on the Policy Information Page.

2.2 Yearly Renewability

This is a yearly renewable rider and the policy term is one (1) year. At the end of one (1) year policy term, this rider will be renewed automatically from the renewal date for another one (1) year at the same conditions on the Expiry date before renewal, so long as the following conditions are met:

- i. this rider is in force on the Expiry date before the renewal;
- ii. the Life insured has not reached age 85 at the renewal date;
- iii. there are no previously admitted or submitted claims on this policy; and
- iv. the Life insured is insured for the same Sum insured or less.

If this rider is issued on non-standard terms, the same terms and conditions and exclusions shall continue to be applicable to the renewed term.

3. Your Responsibilities

3.1 Premium

The Premium that You pay for this rider is guaranteed during the first year policy term. However, the renewal Premium will be calculated based on Your attained age using prevailing Premium rates at the time of renewal. We reserve the rights to adjust the renewal Premium at any time by giving You thirty (30) days' written notice in advance.

You will pay the first Premium at the time You apply for this rider. Thereafter, You will pay all future Premiums within thirty (30) days from the due date so as to continue the rider. If You fail to pay Premiums on time, this rider will end. We will deduct any outstanding Premium from any amount We may be due to pay under this rider.

4. What is Covered?

Your rider covers the Benefits described below while the rider is in force.

4.1 Heart and Neurological Disorder Benefit

This rider pays the Heart and Neurological Disorder Benefit as an advancement of the Sum insured of the Basic policy if the Life insured is diagnosed with early and intermediate Heart and Neurological Disorder while the rider is in force.

Benefit Limitation

We will only provide a maximum aggregate amount of \$\$2,000,000 per Life insured for early, intermediate or severe stages of CI, subject to a cap of \$\$350,000 per Life insured for early or intermediate stages of CI, for all policies and riders issued by Us with CI Benefits.

Please refer to Appendix A for the list of covered conditions under Heart and Neurological Disorder Benefit and definitions.

5. What is Not Covered?

There are certain conditions under which no Benefits will be payable.

5.1 Heart and Neurological Disorder Benefit

We do not pay the Benefits if the Heart and Neurological Disorder Benefit is directly or indirectly, wholly or partly caused by:

- A Pre-existing condition;
- Intentional acts (sane or insane) such as self-harm or attempted suicide;
- Effects of drug or alcohol addiction; or
- Acquired Immune Deficiency Syndrome (AIDS), AIDS-related conditions or infection in the presence of Human Immunodeficiency Virus (HIV) except HIV due to blood transfusion and occupationally acquired HIV.

5.2 Waiting Period

We do not pay the Heart and Neurological Disorder Benefit if You show symptoms related to or have been diagnosed with Heart or Neurological Disorder during the Waiting Period. The Waiting Period is 90 days from the rider issue date, date of Endorsement or effective date of the last increase in sum insured, whichever is later.

5.3 Survival Period

We do not pay the Heart and Neurological Disorder Benefit if the Life insured did not survive for 7 days after the date of diagnosis of any of the covered conditions.

When there is condition(s) specific to the Life insured which We will not cover, We will state them on Our Letter of Conditional Acceptance. When any of the exclusion happens, We will refund the total Premiums paid (less any amounts previously paid to You under this rider) without interest, less any outstanding amounts owing to Us.

6. Making Claims From the Policy

6.1 How to make a Claim

We must be informed in writing within three (3) months of the event giving rise to the claim. At the Proper claimant's own expense, he/she must give Us all documents and evidence We ask for to assess the claim. We reserve the right to require the Life insured to be examined by Our panel Doctor.

We reserve the rights to reject Your claim if the terms and conditions stated in this Provisions are not met.

6.2 Who do We pay Benefits to

If the policy has been assigned, the Benefit amount will be paid to the Assignee. If the policy has not been assigned, the Benefit amount will be paid to either You or Your executors, administrators, Nominees or any other Proper claimant if We have proof of the relationship of the person claiming the Benefit.

Before We pay any Benefit, We will deduct any amount You owe on this policy from the Benefit. By paying out the Benefit, it will end Our legal responsibility on this policy.

7. Our Rights

7.1 Incontestability

Claims will not be rejected and this policy will not be voided or have its terms revised after this policy has been in-force for two (2) years from the policy commencement date, except for:

- a) fraud:
- b) material non-disclosure and/or misrepresentation of a material fact that would have impacted acceptance of coverage;
- c) non-payment of Premium; or
- d) policy exclusions

However, if the above mentioned event occurs, We reserve the rights to void the policy, revise the terms of the policy or reject any claims even after two (2) years have passed. We will refund all Premiums paid (less any amounts previously paid to You under this rider) without interest and less any amounts owing to Us as well as any expenses incurred by Us in providing You the rider.

7.2 Correction of Mistakes and Errors

When We find any mistake or error made in this policy, We will make the correction and inform You by way of an Endorsement.

7.3 Fraud and Misrepresentation

If You or Your executors, administrators, Nominees or any other Proper claimant obtains any sum payable under this policy through fraudulent means or devices, all Benefits paid under this policy shall be forfeited and must be immediately repaid. This policy will be terminated immediately and there will be no refund of Premiums. We shall have no liability in respect of such claims and shall be entitled to recover any payment made prior to the discovery of the fraud or misrepresentation.

7.4 Change of Address, Country of Residence or Citizenship

You must, as soon as practicable within three (3) months of the changes, notify Us in writing if there is a change in Your citizenship and / or usual country of residence. A change in the usual country of residence will be deemed to mean Your living or intending to live in another country other than Singapore in excess of twelve (12) consecutive calendar months.

You must also, as soon as practicable within three (3) months of the change, notify Us in writing if there is a change of address for the Life insured (if any).

We reserve the right and sole discretion to terminate or decline to renew the policy or continue cover on prevailing or varied terms and conditions.

7.5 No Cover

Notwithstanding anything to the contrary, this policy shall not cover or provide for the payment of claims or Benefits to specific persons or entities where the application of or compliance with certain laws and regulations including but not limited to trade sanctions, anti-terrorism or anti-money laundering (as may be applicable to Us, Our parent companies and/or Our ultimate controlling entities, Our reinsurers, their parent company and/or ultimate controlling entity) prohibit performance under the policy based on:

- the identity, domicile, residence, place of incorporation, establishment (whether incorporated or unincorporated), or citizenship, of You, or claimant or the parent company and ultimate controlling entity of You, or claimant; or
- the country where the claim arises.

Should any person or entity be found to have been erroneously enrolled under this policy, insurance coverage for such person or entity shall cease with immediate effect and any unearned Premiums paid in respect of such person or entity shall, subject to compliance with laws and regulations, be refunded without interest to You.

Should any claim for payment of any nature be found to have been made under this policy by a person or entity excluded by this provision, no such payment will be made.

7.6 Changes in Taxation, Regulations and Legislation

At any time when there are changes in taxation, regulations or legislation that will affect this policy, We may vary the terms of the policy accordingly. If We do so, We shall notify You by giving You thirty (30) days' notice prior to such change.

7.7 Errors in Age / Gender / Smoker Status / Country of Residence

If the Age, gender, smoker status and/or country of residence of the Life insured is not correctly stated such that the Premium paid is wrong, We reserve the rights to adjust the Benefits. For underpayment of Premium, the claims will be pro-rated as if You have purchased a lower cover. For overpayment of Premium, We will refund the excess Premium paid (less any amount previously paid to You under this rider) without interest.

Based on the correct Age, gender, smoker status and/or country of residence, if You are not eligible to apply for this policy, We will not pay any Benefits and the policy will be terminated. When this happens, We will refund all Premiums paid (less any amounts previously paid to You under this rider), without interest and less any amounts owing to Us as well as any expenses incurred by Us in providing You the rider.

8. Your Rights

8.1 Free Look

You may return this rider for cancellation within fourteen (14) days after You receive the rider document, for any reason. We will deduct any costs incurred by the Company in assessing the risk under the rider, such as payments for medical check-up and other expenses, from the Premium You paid and refund the balance to You.

If Your policy document is sent by email, We consider this policy is delivered to You one (1) day after the date of emailing.

9. When Will Your Rider End?

This rider will end when any of the following events happens first:

- a) Termination of the Basic policy;
- b) Premium is not paid on time;
- c) After We give You notice that the rider cannot be renewed;
- d) We paid out 100% of the rider Benefit subject to the maximum aggregate amount;
- e) Upon expiry of this rider; or
- f) Your written request and Our acceptance of the application to terminate the rider. If You write to Us to terminate Your rider, there will not be any prorated refund of Premium and Your rider will terminate from the Premium due date immediately following the date We accept Your written request for termination.

10. What Do We Mean With These Words?

Age means the Age at next birthday.

Assignee means any person to whom You have transferred Your rights as the Policy owner and the assignment is registered with Us.

Basic policy means the policy as it exists, including the supplementary terms and any Endorsement made to it, without any optional supplementary Benefit / rider.

Benefit(s) means any payments that We will pay and/or the amount of Premium that We will waive when certain events defined in this policy occur.

Doctor means a licensed person who is qualified by degree in western medicine to practice medicine. The license is given by the appropriate medical authority of his country of residence to practice medicine within his scope of licensing and training. This cannot be the Life insured, a family member or a relative.

Endorsement means any written change to the policy which is issued and properly authorised by Us.

Expiry date means the date the policy ends and where no Benefit is payable.

Life insured means the person whom We provide the cover for. The Life insured does not have any right to the policy, unless he/she is also the Policy owner.

Nominee(s) is a person that You have nominated (under the Insurance Act 1966 and Insurance (Nomination of Beneficiaries) Regulations 2009) to receive the policy monies payable under the policy upon Your death. The nomination must be registered with Us.

Non-participating means it does not share in any surplus or profits of the Company's fund.

Policy commencement date means the date the policy commences, as shown in the Policy Information Page.

Policy issue date means the date We issue the policy. This is shown in the Policy Information Page.

Policy owner is the person named as the owner in the Policy Information Page or any Endorsement issued by Us. The Policy owner has full rights on the policy, unless the policy has been transferred to another party.

Pre-existing condition means the existence of any signs or symptoms before the Policy issue date, the last increase in policy's Sum insured made, whichever is later, for which treatment, medication, consultation, advice, or diagnosis has been sought or received by the Life insured or would have caused any reasonable and sensible person to get medical advice or treatment.

Premium(s) is the amount of money that You pay to Us to keep this policy in force.

Proper claimant(s) has the meaning in the **Insurance Act 1966**. It means a person who claims to be entitled to the sums in question as executor of the deceased, or who claims to be entitled to that sum (whether for his own Benefit or not) and is the widower, widow, parent, child, brother, sister, nephew or niece of the deceased.

Sum insured is the amount of insurance coverage provided by the Basic policy or optional rider (where applicable).

 $\textbf{We, Our, Us, the Company} \ \text{means Etiqa Insurance Pte. Ltd.} \ (Company \ \text{Registration No. 201331905K}).$

You, Your means the Policy owner.

11. Appendix A – List of Heart and Neurological Disorder Benefit

defibrillator insertion described insertion insertion arrhythmia which cannot be treated via any other method. The surgice procedure must be certified to be absolutely necessary by a specialist in the relevant field. Cardiac defibrillator insertion in the presence of HIV infection is excluded. Insertion of a permanent cardiac pacemaker that is required as a result of serious cardiac arrhythmia which cannot be treated via other means. The insertion of the cardiac pacemaker must be certified to be absolutely necessary by a specialist in the relevant field. Cardiac pacemaker insertion in the presence of HIV infection is excluded. The unequivocal diagnosis of cardiary papership which has resulted in the presence of permanent physical impairments to at least Class III of the New York Heart Association (NYHA) classification of Cardiac Impairment. The diagnosis must be confirmed by a specialist in the relevant field. Cardiomyopathy that is directly related to alcohol misuse is excluded. The NYHA Classification of Cardiac Impairment. Class II: No limitation of physical activity. Ordinary physical activity results in symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Com	Early	and Intermediate Sta	ge Critical Illness
defibrillator insertion described insertion insertion arrhythmia which cannot be treated via any other method. The surgice procedure must be certified to be absolutely necessary by a specialist in the relevant field. Cardiac defibrillator insertion in the presence of HIV infection is excluded. Insertion of a permanent cardiac pacemaker that is required as a result of serious cardiac arrhythmia which cannot be treated via other means. The insertion of the cardiac pacemaker must be certified to be absolutely necessary by a specialist in the relevant field. Cardiac pacemaker insertion in the presence of HIV infection is excluded. The unequivocal diagnosis of cardiary papership which has resulted in the presence of permanent physical impairments to at least Class III of the New York Heart Association (NYHA) classification of Cardiac Impairment. The diagnosis must be confirmed by a specialist in the relevant field. Cardiomyopathy that is directly related to alcohol misuse is excluded. The NYHA Classification of Cardiac Impairment. Class II: No limitation of physical activity. Ordinary physical activity results in symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Com	No		
insertion procedure must be certified to be absolutely necessary by a specialist in the relevant field. Cardiac defibrillator insertion in the presence of HIV infection is excluded. Insertion of a permanent cardiac pacemaker that is required as a result of serious cardiac arrhythmia which cannot be treated via other means. The insertion of the cardiac pacemaker must be certified to be absolutely necessary by a specialist in the relevant field. Cardiac pacemaker insertion in the presence of HIV infection is excluded. The unequivocard diagnosis of cardiomyopathy which has resulted in the presence of permanent physical impairments to at least Class III of the Nev York Heart Association (NYHA) classification of Cardiac Inpairment. The diagnosis must be confirmed by a specialist in the relevant field cardiomyopathy that is directly related to alcohol misuse is excluded. The NYHA Classification of Cardiac Inpairment. Class III of the Nev York Heart Association (NYHA) classification of Cardiac Inpairment. Class III of the Nev York Heart Association (NYHA) classification of Cardiac Inpairment. Class III of the New York Heart Association (NYHA) classification of Cardiac Inpairment. Class III of the New York Heart Association (NYHA Classification of physical activity. Cordinary physical activity does no cause undue fatigue, dyspnea, or anginal pain. Class III of the New York Heart Association (NYHA Classification of physical activity. Cordinary physical activity results in symptoms. Class III of the Interest of the New York Inte	1		Insertion of a permanent cardiac defibrillator as a result of cardiac
the relevant field. Cardiac defibrillator insertion in the presence of HIV infection is excluded. Cardiac pacemaker insertion of a permanent cardiac pacemaker that is required as a result of serious cardiac arrhythmia which cannot be treated via other means. The insertion of the cardiac pacemaker must be certified to be absolutely necessary by a specialist in the relevant field. Cardiac pacemaker must be certified to be absolutely necessary by a specialist in the relevant field. Cardiac pacemaker must be certified to be absolutely necessary by a specialist in the relevant field. Cardiac pacemaker must be certified to be absolutely necessary by a specialist in the relevant field. Cardiac pacemaker must be certified to be absolutely necessary by a specialist in the relevant field. Cardiac pacemaker insertion in the presence of HIV infection is excluded. The unequivocal diagnosis of cardiary paperial to at least Class III of the New York Heart Association (NYHA) classification of Cardiac Impairment. The diagnosis must be confirmed by a specialist in the relevant field Cardiomyopathy that is directly related to alcohol misuse is excluded. The NYHA Classification of physical activity. Ordinary physical activity cost of cardiac impairment. Class II: Slight limitation of physical activity. Comfortable at rest, but less than ordinary activity cuses symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity cuses symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity cuses symptoms. Class III: Marked limitation of physical activity. Ordinary physical activity without discomfort symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arterioraphy, regardless of whether any form or coronary artery, left main stem, left anterior descending and left circumflet, but			arrhythmia which cannot be treated via any other method. The surgical
Insertion of a permanent cardiac pacemaker that is required as a result o serious cardiac arrhythmia which cannot be treated via other means. The insertion of the cardiac pacemaker must be certified to be absolutely necessary by a specialist in the relevant field. Cardiamyopathy		insertion	
Cardiac pacemaker insertion Insertion of a permanent cardiac pacemaker that is required as a result o serious cardiac arrhythmia which cannot be treated via other means. The insertion of the cardiac pacemaker must be certified to be absolutely necessary by a specialist in the relevant field. Cardiamyopathy			
serious cardiac arrhythmia which cannot be treated via other means. The insertion of the cardiac pacemaker must be certified to be absolutely necessary by a specialist in the relevant field. 2			
insertion insertion of the cardiac pacemaker must be certified to be absolutely necessary by a specialist in the relevant field. Cardiac pacemaker insertion in the presence of HIV infection is excluded. The unequivocal diagnosis of cardiomyopathy which has resulted in the presence of permanent physical impairments to at least Class III of the Nev York Heart Association (NYHA) classification of Cardiac Impairment. The diagnosis must be confirmed by a specialist in the relevant field Cardiomyopathy that is directly related to alcohol misuse is excluded. The NYHA Classification of Cardiac Impairment. Class I: No limitation of physical activity. Ordinary physical activity does no cause undue fatigue, dyspnea, or anginal pain. Class II: Slight limitation of physical activity. Ordinary physical activity results in symptoms. Class IV: Unable to engage in any physical activity without discomfort Symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary artery attery disease The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary artery atterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stenosit is not acceptable. Frimary or Secondary pulmonary hypertension with established riph ventricular hypertrophy leading to the presence of permanent physical impairment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. The actual undergoing for the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries win "Keyhole" surgery Atherectomy or Myocardial laser revascularisation or Enhanced externa confirmed by a specialist in the relevant field. The actual undergoing of surgery via mini	2		
necessary by a specialist in the relevant field.			
Cardiac pacemaker insertion in the presence of HIV infection is excluded. The unequivocal diagnosis of cardiamyopathy which has resulted in the presence of permanent physical impairments to at least Class III of the New York Heart Association (NYHA) classification of Cardiac Impairment. The diagnosis must be confirmed by a specialist in the relevant field Cardiamyopathy that is directly related to alcohol misuse is excluded. The NYHA Classification of Cardiac Impairment. Class I: No limitation of physical activity. Ordinary physical activity does no cause undue fatigue, dyspnea, or anginal pain. Class II: Slight limitation of physical activity. Ordinary physical activity results in symptoms. Class II: Slight limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class II: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class II: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class II: Marked limitation of physical activity without discomfort Symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. 4		insertion	
Early Cardiomyopathy Cardiomyopathy The unequivocal diagnosis of cardiomyopathy which has resulted in the presence of permanent physical impairments to at least Class III of the New York Heart Association (NYHA) classification of Cardiac Impairment. The diagnosis must be confirmed by a specialist in the relevant field Cardiomyopathy that is directly related to alcohol misuse is excluded. The NYHA Classification of Cardiac Impairment: Class II. No limitation of physical activity. Ordinary physical activity does no cause undue fatigue, dyspnea, or anginal pain. Class III. Slight limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class IV. Unable to engage in any physical activity without discomfort Symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteriography, regardless of whether any form of coronary arteries as proven by coronary arteriography, regardless of whether any form of coronary arteries and pulmonary by coronary arteries and pulmonary surgery has been recommended or performed. Coronary arteries varies been recommended or performed. Coronary arteries varies with a coronary arteries varies with a coronary arteries varies and pulmonary hypertension with established right ventricular hypertrophy leading to the presence of permanent physical impairment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. The actual undergoing for the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries via "Keyhole" surgery Atherectomy, Myocardial laser revascularisation or Enhanced externation. All other surgical procedures will be excluded from this benefit. Asymptomatic Abornian and the thoracic and abdominal and but not it			
Cardiomyopathy Presence of permanent physical impairments to at least Class III of the New York Heart Association (NYHA) classification of Cardiac Impairment. The diagnosis must be confirmed by a specialist in the relevant field. Cardiomyopathy that is directly related to alcohol misuse is excluded. The NYHA Classification of Cardiac Impairment: Class I: No limitation of physical activity. Ordinary physical activity does no cause undue fatigue, dyspnea, or anginal pain. Class III: Slight limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class IV: Unable to engage in any physical activity without discomfort Symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteries parent region as proven by coronary arteries parent region as proven by coronary arteries parent region for the coronary arteries are revascularisation or cardiomyopathy in the presence of hermanent physical activity. Ordinary physical a			
Vork Heart Association (NYHA) classification of Cardiac Impairment. The diagnosis must be confirmed by a specialist in the relevant field. Cardiomyopathy that is directly related to alcohol misuse is excluded. The NYHA Classification of Cardiac Impairment: Class I: No limitation of physical activity. Ordinary physical activity does no cause undue fatigue, dyspnea, or anginal pain. Class II: Slight limitation of physical activity. Ordinary physical activity results in symptoms. Class IV: Warked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class IV: Unable to engage in any physical activity without discomfort Symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteries berein refer to right coronary artery stenosit is not acceptable. The coronary artery suggery has been recommended or performed. Coronary artery suggery has been recommended or performed. Note that any non-invasive method of determining coronary artery stenosit is not acceptable. Primary or Secondary pulmonary hypertension with established righ experiments of a teast Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. Asymptomatic Asymptomatic Adominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by a propriate imaging technique and confirmed by a specialist in the relevant field. Asymptomatic abdominal or thoracic and abdominal aorta but not its branches. Percutaneous valvuloplasty, Valvotomy, Percutaneous valvuloplasty, Valvotomy, Percutaneous valvuloplasty, Valvotomy,	3		
The diagnosis must be confirmed by a specialist in the relevant field Cardiomyopathy that is directly related to alcohol misuse is excluded. The NYHA Classification of Cardiac Impairment. Class I: No limitation of physical activity. Ordinary physical activity does no cause undue fatigue, dyspnea, or anginal pain. Class III: Slight limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class III: Vinable to engage in any physical activity without discomfort Symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteriography, regardless of whether any form or coronary artery surpors as proven by coronary arteriography, regardless of whether any form or coronary arteries herein refer to right coronary artery, left main stem, left anterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stenositis is not acceptable. Primary or Secondary pulmonary hypertension with established righ ventricular hypertrophy leading to the presence of permanent physical activity and the relevant field. The actual undergoing of the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries via "Keyhole" surgery atherectomy, Myocardial laser revascularisation or Enhanced external counterpulsation. Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. Asymptomatic abdominal or thoracic and		Cardiomyopamy	
Cardiomivopathy that is directly related to alcohol misuse is excluded. The NYHA Classification of Cardiac Impairment: Class I: No limitation of physical activity. Ordinary physical activity does no cause undue faitgue, dyspnea, or anginal pain. Class II: Slight limitation of physical activity. Ordinary physical activity results in symptoms. Class III: Marked limitation of physical activity. Ordinary physical activity results in symptoms. Class III: Marked limitation of physical activity. Ordinary physical activity results in symptoms. Class III: Marked limitation of physical activity. Ordinary physical activity without discomfort Symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteriography, regardless of whether any form of coronary artery arterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stenosits is not acceptable. Primary or Secondary pulmonary hypertension with established riphy entricular hypertrophy leading to the presence of permanent physical activity. Coronary artery atherectomy or afteries and left circumflex, but not their branches. Reyhole coronary bypass surgery or Coronary artery stenosits is not acceptable. Primary or Secondary pulmonary hypertension with established riphy entricular hypertrophy leading to the presence of permanent physical activity. Ordinary physical activity. Primary or Secondary physical activity. Ordinary physical activity and physical activity. Ordinary physical activity and physical activity. Ordinary physical activity. Ordinary physical a			
The NYHA Classification of Cardiac Impairment: Class I: No limitation of physical activity. Ordinary physical activity does no cause undue fatigue, dyspnea, or anginal pain. Class II: Slight limitation of physical activity. Ordinary physical activity results in symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class IV: Unable to engage in any physical activity without discomfort Symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteriespathy, regardless of whether any form of coronary arteries herein refer to right coronary artery, left main stem, left anterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stenosit is not acceptable. Increased pulmonary blood pressure Increased pulmonary blood pressure Increased pulmonary blood pressure Primary or Secondary pulmonary hypertension with established ring ventricular hypertrophy leading to the presence of permanent physica inpairment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. Reynole coronary dispersion with established ring or blockage of one (1) or more coronary arteries via "Keyhole" surgery Atherectomy, Myocardial laser revascularisation or Enhanced external counter pulsation. Large Asymptomatic Aortic Aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the releva			
Class I: No limitation of physical activity. Ordinary physical activity does no cause undue fatigue, dyspnea, or anginal pain. Class II: Slight limitation of physical activity. Ordinary physical activity results in symptoms. Class III: Marked limitation of physical activity. Ordinary physical activity results in symptoms. Class IV: Unable to engage in any physical activity without discomfort Symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteriography, regardless of whether any form of coronary arteries herein refer to right coronary artery, left main stem, left anterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stenosis is not acceptable. Primary or Secondary pulmonary hypertension with established righ ventricular hypertrophy leading to the presence of permanent physical impairment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. Keyhole coronary bypass surgery or Coronary arteries via "Keyhole" surgery atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation. All other surgical procedures will be excluded from this benefit. Actic Aneurysm All other surgical procedures will be excluded from this benefit. The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a appropriate imaging technique and confirmed by a specialist in the relevant field. The actual undergoing of Surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed			
cause undue fatigue, dyspnea, or anginal pain. Class II: Slight limitation of physical activity. Ordinary physical activith results in symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class IV: Unable to engage in any physical activity without discomfort Symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteries parent even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteries parent even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteries by a minimum of 60% as proven by coronary arteries the relievant fleer to right coronary arteries by a minimum of 60% as proven by coronary arteries the relievant fleer to right coronary arteries of the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries wia "Keyhole" surgery atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation Reynoto-matic Anortic Aneurysm All other surgical procedures will be excluded from this benefit. The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the actor, as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. Percutaneous valve replacement, or Device repair The procedure should be performed totally via intravascular catheter based rechoardicus. Any procedure on heart valves stored in the sexual cachinition, and a sexual procedu			
Class II: Slight limitation of physical activity. Ordinary physical activity results in symptoms. Class III: Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class IV: Unable to engage in any physical activity without discomfort Symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteriography, regardless of whether any form o coronary arteries herein refer to right coronary artery, left main stem, left anterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stenosits is not acceptable. Primary or Secondary pulmonary hypertension with established righ ventricular hypertrophy leading to the presence of permanent physical mipaliment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. Keyhole coronary artery atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation. Large Asymptomatic Aortic Aneurysm All other surgical procedures will be excluded from this benefit. Asymptomatic Abortic Aneurysm or dissection of the aortic Aneurysm or dissection of the aortic Aneurysm or dissection of the aortic Aneurysm, narrowing, obstruction of dissection of the aortic, and an aneurysm, narrowing, obstruction of definition, aorta shall mean the thoracic and abdominal aorta but not its branches. Percutaneous valve replacement, or Device repair The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction of the aortic, and a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. Primary or Secondary pul			
results in symptoms. Class III. Marked limitation of physical activity. Comfortable at rest, but less than ordinary activity causes symptoms. Class IV: Unable to engage in any physical activity without discomfort Symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteries be recommended or performed. Coronary artery surgery has been recommended or performed. Coronary artery surgery has been recommended or performed. Coronary artery series herein refer to right coronary artery, left main stem, left anterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stenosits is not acceptable. Primary or Secondary pulmonary hypertension with established righ ventricular hypertrophy leading to the presence of permanent physical impairment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. The actual undergoing for the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries via "Keyhole" surgery atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation. All other surgical procedures will be excluded from this benefit. Asymptomatic Aortic Aneurysm Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction o dissection of the aort, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its			
than ordinary activity causes symptoms. Class IV: Unable to engage in any physical activity without discomfort Symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteriography, regardless of whether any form of coronary artery surgery has been recommended of performed. Coronary arteries herein refer to right coronary artery, left main stem, left anterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stenosic is not acceptable. Primary or Secondary pulmonary hypertension with established right eventual undergoing of the first time for the correction of the narrowing or specialist in the relevant field. The actual undergoing for the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries via "Keyhole" surgery atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation The actual undergoing of the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries via "Keyhole" surgery Atherectomy, Myocardial laser revascularisation or Enhanced external counter pulsation Asymptomatic Acortic Aneurysm Asymptomatic Acortic Aneurysm Minimally Invasive Surgery to Aorta Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction o dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. Percutaneous valve replacement, or Device repair The procedure should be pe			
Class IV: Unable to engage in any physical activity without discomfort Symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimally and confirmed by a sproven by coronary arteries perein refer to right coronary artery, left main stem, left anterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stenosic is not acceptable. Primary or Secondary pulmonary hypertension with established righ ventricular hypertrophy leading to the presence of permanent physica impairment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. Keyhole coronary artery atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation Large Asymptomatic Aortic Aneurysm Minimally Invasive Surgery to Aorta Minimally Invasive Surgery to Aorta Minimally Invasive Surgery to Aorta Percutaneous valvuloplasty, Valvotomy, Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair Pericardectomy The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement, or Device repair Pericardectomy The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy in cision is excluded.			
Symptoms may be present even at rest. Early cardiomyopathy in the presence of HIV infection is excluded. Coronary artery disease The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteriography, regardless of whether any form of coronary artery surgery has been recommended or performed. Coronary arteries herein refer to right coronary artery, left main stem, left anterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stenosic is not acceptable. Primary or Secondary pulmonary hypertension with established righ ventricular hypertrophy leading to the presence of permanent physical impairment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. The actual undergoing for the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries via "Keyhole" surgery Atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation. All other surgical procedures will be excluded from this benefit. Asymptomatic Aortic Aneurysm Minimally Invasive Surgery to Aorta Minimally Invasive Surgery to Aorta Asymptomatic Aortic Aneurysm Minimally Invasive Surgery to Aorta Asymptomatic and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair Device repair The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracctomy incision is excluded. The undergoing of a pericardiectomy or undergoing of any surgical entering the chest by any thoracctomy incision is excluded.			
Early cardiomyopathy in the presence of HIV infection is excluded. The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteriography, regardless of whether any form o coronary artery surgery has been recommended or performed. Coronary artery surgery has been recommended or performed. Coronary arteriography, regardless of whether any form o coronary artery surgery has been recommended or performed. Coronary artery stenosic is not acceptable. Primary or Secondary pulmonary hypertension with established righ ventricular hypertrophy leading to the presence of permanent physica impairment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. Keyhole coronary artery surgery at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. The actual undergoing for the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries via "Keyhole" surgery atherectomy. Myocardial laser revascularisation or Enhanced external counter pulsation. All other surgical procedures will be excluded from this benefit. Asymptomatic Aortia candiacy and the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries via "Keyhole" surgery atherectomy. Myocardial laser revascularisation or Enhanced external counter pulsation. All other surgical procedures will be excluded from this benefit. Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by a paropriate imagin			
The narrowing of the lumen of two coronary arteries by a minimum of 60% as proven by coronary arteriography, regardless of whether any form o coronary artery surgery has been recommended or performed. Coronary arteries herein refer to right coronary artery, left main stem, lef anterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stenosis is not acceptable. Primary or Secondary pulmonary hypertension with established righ ventricular hypertrophy leading to the presence of permanent physica impairment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. The actual undergoing for the limen of two coronary artery, left main stem, lef anterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stemosis is not acceptable. Primary or Secondary pulmonary hypertension with established righ ventricular hypertrophy leading to the presence of permanent physica impairment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. The actual undergoing for the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries via "Keyhole" surgery Atherectomy, Myocardial laser revascularisation or Enhanced external counter pulsation All other surgical procedures will be excluded from this benefit. Asymptomatic Aortic Aneurysm Asymptomatic Aortic Aneurysm Minimally Invasive Surgery to Aorta Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal ao			
disease as proven by coronary arteriography, regardless of whether any form of coronary artery surgery has been recommended or performed. Coronary arteries herein refer to right coronary artery, left main stem, left anterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stenosis is not acceptable. Frimary or Secondary pulmonary hypertension with established righ ventricular hypertrophy leading to the presence of permanent physica impairment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. The actual undergoing for the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries via "Keyhole" surgery Atherectomy Myocardial laser revascularisation or Enhanced external counter pulsation. All other surgical procedures will be excluded from this benefit. Asymptomatic Aortic Aneurysm dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. Asymptomatic Aortic Aneurysm dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded.			
coronary artery surgery has been recommended or performed. Coronary arteries herein refer to right coronary artery, left main stem, lef anterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stenosic is not acceptable. Primary or Secondary pulmonary hypertension with established righ ventricular hypertrophy leading to the presence of permanent physical impairment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. Keyhole coronary bypass surgery or Coronary artery atherectomy or Myocardial laser revascularisation or Myocardial laser revascularisation or Enhanced external counter pulsation All other surgical procedures will be excluded from this benefit. Asymptomatic Aortic Aneurysm Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. The actual undergoing of surgery via minimally invasive or intra-arterial techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair Pericardectomy The undergoing of a pericardiectomy or undergoing of any surgical periodectomy or undergoing of any surgical periodectomy or undergoing of any surgical procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded.	4		
Coronary arteries Ferein refer to right coronary artery, left main stem, lef anterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stenosis is not acceptable. Primary or Secondary pulmonary hypertension with established righ pulmonary blood pressure Primary or Secondary pulmonary hypertension with established righ pulmonary blood pressure or description of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. Keyhole coronary artery atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation Autrenal counter pulsation. All other surgical procedures will be excluded from this benefit. Asymptomatic Aortic Aneurysm Asymptomatic Aortic Aneurysm Minimally Invasive Surgery to Aorta Minimally Invasive Surgery to Aorta Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair Pericardectomy The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement, or Device repair Dericardectomy Coronary artery atherectomy or Beach of the New York Heart Association (NYHA Classification of Least Class III of the New York Heart Association (NYHA Classification of Least Class III of the New York Heart Association (NYHA Classification of Least Class III of the New York Heart Association (NYHA Classification of Least Class III of the New York Heart Association (NYHA Classification of Least Class III of the New York Heart Association (NYHA Classification of Least Class III of the New York Heart Association (NYHA Classification of Least Class III of the New York Heart Association (NYHA Classification of the relevant field. The actual undergoing for the first time for the correction of the narrowing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a		uisease	
anterior descending and left circumflex, but not their branches. Note that any non-invasive method of determining coronary artery stenosis is not acceptable. 5 Increased pulmonary blood pressure 6 Keyhole coronary bypass surgery or Coronary artery atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation 7 Large Asymptomatic Aortic Aneurysm to Aorta 8 Minimally Invasive Surgery to Aorta 8 Minimally Invasive Surgery to Aorta 9 Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair or Overice repair or or Device repair or percentage of permanent physica impairment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. The actual undergoing for the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries via "Keyhole" surgery Atherectomy, Myocardial laser revascularisation or Enhanced external counter pulsation. All other surgical procedures will be excluded from this benefit. Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valveure placement, or percutaneous valveure placem			
Note that any non-invasive method of determining coronary artery stenosis is not acceptable. Increased pulmonary blood pressure Secondary pulmonary hypertension with established righ ventricular hypertrophy leading to the presence of permanent physical impairment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. Keyhole coronary bypass surgery or Coronary artery atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation Large Asymptomatic Aortic Aneurysm Minimally Invasive Surgery to Aorta Minimally Invasive Surgery to Aorta Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair Pericardectomy The undergoing of valvotomy or Valvuloplasty or percutaneous valve replacement, or Device repair Pericardectomy The undergoing of ap pricardiectomy or undergoing of any surgical procedure of a pericardiectomy of a pericardiectomy or undergoing of any surgical procedure is not a pericardiectomy or undergoing of any surgical procedure is not a pericardiectomy or undergoing of any surgical procedure in pulmonary hypertension with established righ ventricular hypertrophy leading to the presence of permanent physical primary or detection (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing obstruction of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement, or Device repair The procedure should be performed totally via intravascular catheter base			
Increased pulmonary blood pressure			
Frimary or Secondary pulmonary hypertension with established right ventricular hypertrophy leading to the presence of permanent physical impairment of at least Class III of the New York Heart Association (NYHA Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. The actual undergoing for the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries via "Keyhole" surgery Atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation All other surgical procedures will be excluded from this benefit. Asymptomatic Aortic Aneurysm Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. The actual undergoing of surgery via minimally invasive or intra-arteriate techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, por Device repair The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded.			
pulmonary blood pressure Pulmonary blood pressure	5	Increased	
Classification of Cardiac Impairment. The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. The actual undergoing for the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries via "Keyhole" surgery Atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation The actual undergoing for the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries via "Keyhole" surgery Atherectomy, Myocardial laser revascularisation or Enhanced external counter pulsation. All other surgical procedures will be excluded from this benefit. Asymptomatic Aortic Aneurysm Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement, and procedure should be performed totally via intravascular catheter based echocardiogram. The procedure should be performed totally via intravascular catheter based echocardiogram. The procedure should be performed totally via intravascular catheter based echocardiogram in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based echocardiogram in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based echocardiogram in		pulmonary blood	ventricular hypertrophy leading to the presence of permanent physical
The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field. Keyhole coronary bypass surgery or Coronary artery atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation Large Asymptomatic Aortic Aneurysm Aortic Aneurysm of Aorta Minimally Invasive Surgery to Aorta Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair Pericardectomy The diagnosis must be established by cardiac catheterisation by a specialist in the relevant field by a specialist in the relevant field and established by a cardiac catheterisation by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement, or Device repair The undergoing of a pericardiectomy or undergoing of any surgical procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. The actual undergoing of a pericardiectomy or undergoing of any surgical procedures will be excluded from this benefit. Atherectomy flex for the first time for the correction of the correction of the nortacion and interpolation or Enhanced external counterpulsation. All other surgical procedures will be excluded from this benefit. Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echoc		pressure	
Specialist in the relevant field. Keyhole coronary bypass surgery or Coronary artery atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation Large Asymptomatic Aortic Aneurysm Minimally Invasive Surgery to Aorta Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair Pericardectomy or Myocardial laser revascularisation or Enhanced external counter pulsation. All other surgical procedures will be excluded from this benefit. Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement, or percutaneous valve replacement, or percutaneous valve replacement, or Device repair Pericardectomy The undergoing of a pericardiectomy or undergoing of any surgical for the first time for the correction of Enhanced external counter revascularisation or Enhanced external countering to exclude a surgical procedures will be excluded from this benefit. Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement, or percutaneous valve replacement, or percutaneous valve replacement, or percutaneous valve replacement necessitated by damage of the heart valve as c			
The actual undergoing for the first time for the correction of the narrowing or blockage of one (1) or more coronary arteries via "Keyhole" surgery Atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation. All other surgical procedures will be excluded from this benefit. Actic Aneurysm Minimally Invasive Surgery to Aorta Morardia Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair Pericardectomy or blockage of one (1) or more coronary arteries via "Keyhole" surgery Atherectomy, Myocardial laser revascularisation or Enhanced external counterpulsation. All other surgical procedures will be excluded from this benefit. Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. Percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening on entering the chest by any thoracotomy incision is excluded.			
bypass surgery or Coronary artery atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation 7 Large Asymptomatic Aortic Aneurysm and confirmed by a specialist in the relevant field. 8 Minimally Invasive Surgery to Aorta 8 Minimally Invasive Surgery to Aorta 9 Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair 10 Pericardectomy or Myocardial laser revascularisation or Enhanced external counter, Myocardial laser revascularisation or Enhanced external counter counterpulsation. All other surgical procedures will be excluded from this benefit. Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. The actual undergoing of surgery via minimally invasive or intra-arterial techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. 9 Percutaneous valve replacement, or Device repair The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. The undergoing of a pericardiectomy or undergoing of any surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit.			
Coronary artery atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation Thanced external counter pulsation Asymptomatic Aortic Aneurysm Minimally Invasive Surgery to Aorta Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair Pericardectomy or Myocardial laser revascularisation or Enhanced external counter pulsation. Altherectomy, Myocardial laser revascularisation or Enhanced external counterpulsation. Altherectomy, Myocardial laser revascularisation or Enhanced external counterpulsation. All other surgical procedures will be excluded from this benefit. Altherectomy, Myocardial laser revascularisation or Enhanced external counterpulsation. All other surgical procedures will be excluded from this benefit. Altherectomy, Myocardial laser revascularisation or Enhanced external counterpulsation. All other surgical procedures will be excluded from this benefit. Altherectomy, Myocardial laser revascularisation or Enhanced external counterpulsation. All other surgical procedures will be excluded from this benefit. Altherectomy, Myocardial laser revascularisation or Enhanced external counterpulsation. All other surgical procedures will be excluded from this benefit. Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. The actual undergoing of surgery via minimally invasive or intra-arterial techniques to repair or correct an aneurysm, narrowing, obstruction odissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogr	6	-	
atherectomy or Myocardial laser revascularisation or Enhanced external counter pulsation 7 Large Asymptomatic Aortic Aneurysm 8 Minimally Invasive Surgery to Aorta 9 Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair 10 Pericardectomy 10 Pericardectomy All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit. All other surgical procedures will be excluded from this benefit.			
Myocardial laser revascularisation or Enhanced external counter pulsation 7 Large Asymptomatic Aortic Aneurysm and confirmed by a specialist in the relevant field. 8 Minimally Invasive Surgery to Aorta 8 Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair 10 Pericardectomy Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded.		-	
revascularisation or Enhanced external counter pulsation 7			
or Enhanced external counter pulsation 7			All other surgical procedures will be excluded from this benefit.
external counter pulsation 7			
Asymptomatic Aortic Aneurysm 8 Minimally Invasive Surgery to Aorta 9 Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair 10 Pericardectomy Asymptomatic abdominal or thoracic aortic aneurysm or dissection greate than 55mm in diameter as evidenced by appropriate imaging technique and confirmed by a specialist in the relevant field. The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. The undergoing of a pericardiectomy or undergoing of any surgical streams and confirmed by a specialist in the relevant field. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening or entering the chest by any thoracotomy incision is excluded.			
Asymptomatic Aortic Aneurysm Minimally Invasive Surgery to Aorta Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair Aminimalic Aortic Aneurysm Minimally Invasive Surgery to Aorta The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. The undergoing of a pericardiectomy or undergoing of any surgical surgic		pulsation	
Aortic Aneurysm 8 Minimally Invasive Surgery to Aorta 9 Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair 10 Pericardectomy Aorta Invasive Surgery to Aorta Aorta The actual undergoing of surgery via minimally invasive or intra-arterial techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram and confirmed by a specialist in the relevant field. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram and confirmed by a specialist in the relevant field. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram and confirmed by a cardiac echocardiogram and confirmed by a specialist in the relevant field. The procedure of the actual undergoing of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram and confirme	7		Asymptomatic abdominal or thoracic aortic aneurysm or dissection greater
8 Minimally Invasive Surgery to Aorta The actual undergoing of surgery via minimally invasive or intra-arteria techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. 9 Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair 10 Pericardectomy The actual undergoing of valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. The undergoing of a pericardiectomy or undergoing of any surgical surgic			than 55mm in diameter as evidenced by appropriate imaging technique,
Invasive Surgery to Aorta techniques to repair or correct an aneurysm, narrowing, obstruction of dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. The undergoing of a pericardiectomy or undergoing of any surgical dispersion.			
dissection of the aorta, as evidenced by a cardiac echocardiogram and confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. The undergoing of a pericardiectomy or undergoing of any surgical	8	_	
confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair Confirmed by a specialist in the relevant field. For the purpose of this definition, aorta shall mean the thoracic and abdominal aorta but not its branches. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. Pericardectomy The undergoing of a pericardiectomy or undergoing of any surgical		0 5	
definition, aorta shall mean the thoracic and abdominal aorta but not its branches. Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair definition, aorta shall mean the thoracic and abdominal aorta but not its branches. The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiad echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. Pericardectomy The undergoing of a pericardiectomy or undergoing of any surgical		to Aorta	
branches. Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. Pericardectomy The undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded.			
Percutaneous valvuloplasty, Valvotomy, Percutaneous valve replacement, or Device repair The actual undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening o entering the chest by any thoracotomy incision is excluded. The undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a specialist in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening o entering the chest by any thoracotomy incision is excluded. The undergoing of Valvotomy or Valvuloplasty or percutaneous valve replacement necessitated by damage of the heart valve as confirmed by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening o entering the chest by any thoracotomy or undergoing of any surgical			
valvotomy, Percutaneous valve replacement, or Device repair valve replacement necessitated by damage of the heart valve as confirmed by a cardiad echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. The undergoing of a pericardiectomy or undergoing of any surgical	a	Percutaneous	
Valvotomy, Percutaneous valve replacement, or Device repair by a specialist in the relevant field and established by a cardiac echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. The undergoing of a pericardiectomy or undergoing of any surgical	9		
Percutaneous valve replacement, or Device repair Pericardectomy echocardiogram. The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. The undergoing of a pericardiectomy or undergoing of any surgical			
valve replacement, or Device repair 10 Pericardectomy The procedure should be performed totally via intravascular catheter based techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. The undergoing of a pericardiectomy or undergoing of any surgical		• 1	
replacement, or Device repair techniques. Any procedure on heart valves that involves opening of entering the chest by any thoracotomy incision is excluded. The undergoing of a pericardiectomy or undergoing of any surgical			
Device repair entering the chest by any thoracotomy incision is excluded. 10 Pericardectomy The undergoing of a pericardiectomy or undergoing of any surgical			techniques. Any procedure on heart valves that involves opening or
			entering the chest by any thoracotomy incision is excluded.
procedure requiring keyhole cardiac surgery as a result of pericardia	10	Pericardectomy	The undergoing of a pericardiectomy or undergoing of any surgical
			procedure requiring keyhole cardiac surgery as a result of pericardial

disease. Both these surgical procedures must be certified to be absolutely
necessary by a consultant cardiologist.
Pericardiectomy in the presence of HIV infection is excluded.

Early	and Intermediate Sta	
No	Neurological Disorders	Definition
1	Amyotrophic lateral sclerosis	Unequivocal Diagnosis by a Medical Practitioner who is a neurologist confirming well defined neurological deficit with persistent signs of involvement of the spinal nerve columns and the motor centres in the brain and with spastic weakness and atrophy of the muscles of the extremities. Claims shall only be admitted if the condition is confirmed by a Medical Practitioner who is a neurologist as progressive and resulting in irreversible damage to the nervous system.
2	Bacterial meningitis with full recovery	Bacterial infection resulting in severe inflammation of the membranes of the brain or spinal cord which requires hospitalisation. This diagnosis must be confirmed by: • The presence of bacterial infection in cerebrospinal fluid by lumbar puncture; and • A consultant neurologist. Bacterial Meningitis in the presence of HIV infection is excluded.
3	Brain aneurysm surgery (via craniotomy)	The actual undergoing of surgical repair of an intracranial aneurysm or surgical removal of an arteriovenous malformation via craniotomy. The surgical intervention must be certified to be absolutely necessary by a specialist in the relevant field.
4	Brain aneurysm surgery (via endovascular procedures)	The actual undergoing of surgical repair of an intracranial aneurysm or surgical removal of an arteriovenous malformation via endovascular procedures. The surgical intervention must be certified to be absolutely necessary by a specialist in the relevant field.
5	Carotid artery surgery	The actual undergoing of Endarterectomy of the carotid artery which has been necessitated as a result of at least 80% narrowing of the carotid artery as diagnosed by an arteriography or any other appropriate diagnostic test that is available. Endarterectomy of blood vessels other than the carotid artery are specifically excluded. Percutaneous carotid angioplasty is excluded.
6	Cavernous sinus thrombosis surgery	The actual undergoing of a surgical drainage for cavernous sinus thrombosis. The presence of Cavernous Sinus Thrombosis as well as the requirement for surgical intervention must be certified to be absolutely necessary by a specialist in the relevant field.
7	Cerebral shunt insertion	The actual undergoing of surgical implantation of a shunt from the ventricles of the brain to relieve raised pressure in the cerebrospinal fluid. The need of a shunt must be certified to be absolutely necessary by a specialist in the relevant field.
8	Polio Induced Muscle Weakness	Unequivocal Diagnosis of infection with the poliovirus leading to paralytic disease as evidenced by impaired motor function or respiratory weakness. In respect of this definition, claims shall only be admitted if poliomyelitis causes neurological deficit resulting in paralysis in Limbs that is permanent. The Unequivocal Diagnosis must be made by a Specialist in the relevant medical field.
9	Primary lateral sclerosis	A progressive degenerative disorder of the motor neurons of the cerebral cortex resulting in widespread weakness on an upper motor neuron basis. Clinically it is characterized by progressive spastic weakness of the limbs, preceded or followed by spastic dysarthria and dysphagia, indicating combined involvement of the corticospinal and corticobulbar tracts. The Unequivocal Diagnosis must be made by a neurologist and confirmed by appropriate neuromuscular testing such as electromyogram (EMG). The condition must result in the permanent inability to perform, without assistance, at least three (3) of the six (6) Activities of Daily Living. These conditions have to be medically documented for at least three (3) consecutive months.
10	Severe Progressive bulbar palsy (PBP)	Neurological disorder with paralysis in the head region, difficulties in chewing and swallowing, problems in speaking, persistent signs of involvement of the spinal nerves and the motor centres in the brain and spastic weakness and atrophy of the muscles of the extremities. The disease must be Unequivocally Diagnosed by a Medical Practitioner who is a neurologist. The condition must result in the permanent inability to perform, without assistance, at least three (3) of the six (6) Activities of Daily Living. These conditions have to be medically documented for at least three (3) consecutive months.

11	Progressive supranuclear palsy	A degenerative neurological disease characterized by supranuclear gaze paresis, pseudobulbar palsy, axial rigidity and dementia. The Unequivoca Diagnosis of Progressive Supranuclear Palsy must be confirmed by a Medical Practitioner who is a neurologist. The condition must result in the permanent inability to perform, withou assistance, at least three (3) of the six (6) Activities of Daily Living. These conditions have to be medically documented for at least three (3) consecutive months.
----	-----------------------------------	--